


PRODUCT-DETAILS

TMG 630-3150 XT5 3p

TMG 630-3150 XT5 3p



### General Information

|                       |   |
|-----------------------|---|
| Extended Product Type | TMG 630-3150 XT5 3p   |
| Product ID            | 1SDA100631R1  |
| EAN                   | 8056221007078   |
| Catalog Description   | TMG 630-3150 XT5 3p   |
| Long Description      | THERMOMAGNETIC RELEASE THREE-POLE IN AC-DC TMG R 630 I3=1575...3150 XT5 |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8056221007078 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85389099      |

### Dimensions

|                            |         |
|----------------------------|---------|
| Product Net Width          | 158 mm  |
| Product Net Height         | 158 mm  |
| Product Net Depth / Length | 188 mm  |
| Product Net Weight         | 1.35 kg |

---

## Container Information

---

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | 1 piece       |
| Package Level 1 Width          | 120 mm        |
| Package Level 1 Height         | 180 mm        |
| Package Level 1 Depth / Length | 225 mm        |
| Package Level 1 Gross Weight   | 1.514 kg      |
| Package Level 1 EAN            | 8056221007078 |

---



---

## Additional Information

---

|                                       |                         |
|---------------------------------------|-------------------------|
| Circuit Breaker Type to be Associated | Generator Protection    |
| Configuration Type                    | Loose or configurable   |
| Current Type                          | AC/DC                   |
| Number of Poles                       | 3                       |
| Order Multiple                        | 1 piece                 |
| Product Main Type                     | Accessories for Tmax XT |
| Product Name                          | Accessory               |
| Product Type                          | ACC                     |
| Rated Current ( $I_n$ )               | 630 A                   |
| Release                               | TMG                     |
| Release Type                          | TM                      |
| Setting Range                         | 441...315 A             |
| Standards                             | IEC 60947               |
| Suitable For                          | XT5                     |

---



---

## Certificates and Declarations (Document Number)

---

|                                   |                                    |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 1SDC210100D0205<br>1SDC210099D0205 |
|-----------------------------------|------------------------------------|

---



---

## Classifications

---

|                            |  |
|----------------------------|--|
| ETIM 7                     | EC001023 - Shunt release (for power circuit breaker)       |
| Object Classification Code | Q  |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

---



---

## Categories

---

Low Voltage Products and Systems → Circuit Breakers → Moulded Case Circuit Breakers → Tmax XT

