

PRODUCT-DETAILS

S800-UVR60

S800-UVR60 Undervoltage release



General Information

| | |
|-----------------------|--|
| Extended Product Type | S800-UVR60 |
| Product ID | 2CCS800900R0251 |
| EAN | 7612271208370 |
| Catalog Description | S800-UVR60 Undervoltage release |
| Long Description | S800-UVR60 Under voltage release 48 ... 60 V AC / DC |

Ordering

| | |
|------------------------|---------------|
| EAN | 7612271208370 |
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 85389040 |

Dimensions

| | |
|----------------------------|---------|
| Product Net Width | 27 mm |
| Product Net Height | 95 mm |
| Product Net Length | 27 mm |
| Product Net Depth / Length | 82.5 mm |
| Product Net Weight | 150 g |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Width | 105 mm |
| Package Level 1 Height | 99 mm |
| Package Level 1 Depth / Length | 35 mm |
| Package Level 1 Gross Weight | 170 g |
| Package Level 1 EAN | 7612271208370 |

Environmental

| | |
|-------------|-----------------------------------|
| RoHS Status | Following EU Directive 2011/65/EU |
|-------------|-----------------------------------|

Additional Information

| | |
|--|--|
| Frequency (f) | 50/60 Hz |
| Power Loss | 1.14 ... 1.25 W 1.3 V·A |
| Product Main Type | S800-UVR |
| Product Name | Undervoltage release |
| Rated Control Supply Voltage (U _s) | (50 Hz) 60...60 V (50 Hz) 60...60 V (60 Hz) 60...60 V (60 Hz) 60...60 V (DC) 60...60 V (DC) 60...60 V |
| Rated Voltage (U _r) | 48 ... 60 V |
| Rated Operational Voltage | 48 ... 60 V |
| RoHS Date | 20170426 |
| Standards | IEC 60947-5-1_UL489 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|------------------------------------|
| Data Sheet, Technical Information | 2CCC413003C0208 |
| Declaration of Conformity - CE | 2CCC413003D0201 |
| Environmental Information | 2CCY413207D0203 |
| Instructions and Manuals | 9AKK106930A3418 |
| RoHS Information | 2CCC413003D0201 9AKK107680A3903 |
| Dimension Diagram | 2CCC413003C0201 |

Classifications

| | |
|--------|-------------------------------|
| ETIM 4 | EC001022 - Under voltage coil |
| ETIM 5 | EC001022 - Under voltage coil |

| | |
|----------------------------|--|
| ETIM 6 | EC001022 - Under voltage coil |
| ETIM 7 | EC001022 - Under voltage coil |
| Object Classification Code | F |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs Accessories

