

PRODUCT-DETAILS

## 6819/58-183-500

### 6819/58-183-500 Busch-Presence detector Corridor, slave 24 meters



#### General Information

Extended Product Type	6819/58-183-500
Product ID	2CKA006800A2789
EAN	4011395218198
Catalog Description	6819/58-183-500 Busch-Presence detector Corridor, slave 24 meters
Long Description	Slave presence detector for extension of the detection range of master presence detectors. Detection range (for installation height of 3 m): rectangular Walking persons: crosswise to the detector 24 m x 3 m, frontal/lengthways to the detector 14 m x 3 m. Mounting height 27 mm. Ceiling installation using integrated spring bracket. Twist protection via additional quick tensioning. Surveillance density: 92 sectors with 368 switching segments. Suitable for false ceilings with a board thickness from 9 to 25 mm. Hole size: Ø 68 mm.

#### Ordering

EAN	4011395218198
Minimum Order Quantity	1 piece
Customs Tariff Number	85365080

#### Dimensions

Product Net Width	0.094 m
Product Net Height	0.094 m
Product Net Depth / Length	0.076 m
Product Net Weight	284 g

---

## Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	0.141 m
Package Level 1 Height	0.095 m
Package Level 1 Depth / Length	0.165 m
Package Level 1 Gross Weight	285 g
Package Level 1 EAN	4011395218198

---

## Environmental

RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
-------------	---

---



---

## Additional Information

Auxiliary Voltage AC/DC	110 V AC/DC 230 V AC/DC
Color	aluminium silver
Connection Type	Plug Clamp
Degree of Protection	IP40
Frequency (f)	50...60 Hz
Material	Material quality: Thermoplastic Material: Plastic
Mounting Type	Flush-mounted
Product Main Type	Busch-Presence detector Corridor, slave
Product Name	Busch-Presence detector Corridor, slave 24 meters
Product Range	Movement detector
Rated Voltage (U <sub>r</sub> )	230 V
RoHS Date	20150727
Surface Finishing	Surface protection: Lacquered Surface finishing: Matt

---



---

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2CKA001473B9577
Declaration of Conformity - CE	2CKA100000E0714
RoHS Information	9AKK104295D8727

---



---

## Classifications

ETIM 5	EC000133 - Movement sensor complete
ETIM 6	EC000133 - Movement sensor complete
ETIM 7	EC000133 - Movement sensor complete
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

---

---

## Categories

---

Low Voltage Products and Systems → StandAlone Electronics → Presence Detector → Presence Detector Series → Slave Devices → Presence Detector Corridor, Slave

