

PRODUCT-DETAILS

AL21/A/U/BL

ALUMINIUM COUPLER FOR AL21



General Information

Extended Product Type	AL21/A/U/BL
Product ID	7TCA296000R0561
EAN	5020963052361
Catalog Description	ALUMINIUM COUPLER FOR AL21
Long Description	Straight PA66 Body Swivel Coupler, Nominal Conduit Size 21mm, Polyamide (Nylon) 66 and Aluminium, Black

Ordering

EAN	5020963052361
-----	---------------

Dimensions

Product Net Depth / Length	86.5 mm
Product Net Weight	.07 lb 31.746 g

Container Information

Package Level 2 Units	10 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	For Coupling Two Corrugated Flexible Conduits
Brand / Label	Adaptaflex
Color	Black
Material	Polyamide/Nylon 6.6 and Aluminium
Nominal Size	NC21
Number of Batteries	0
Outside Diameter	29.0 mm
Product Name	ADAPTAFLEX
Product Type	Straight Body Swivel Coupler
Special Functions	High Impact Resistance
UPC	786210287850

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AL21/A/U/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AL21/A/U/BL

Classifications

ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

