

PRODUCT-DETAILS

AL21/M20/SA/BL

M20 NC21 STR SWIV FTNG MALE BLK



General Information

Extended Product Type	AL21/M20/SA/BL
Product ID	7TCA296000R0612
EAN	5020963010088
Catalog Description	M20 NC21 STR SWIV FTNG MALE BLK
Long Description	Straight Conduit Fitting, Swivel External Male Thread, Nominal Conduit Size 21mm, M20 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread, Black

Ordering

EAN	5020963010088
-----	---------------

Dimensions

Product Net Weight	3.94 lb
	1.787 kg

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	2.7 in
	69 mm
Package Level 1 Height	3.95 in
	100 mm

Package Level 1 Depth / Length	2.5 in 64 mm
Package Level 2 Units	100 piece
Package Level 2 Width	2.7 in 69 mm
Package Level 2 Height	3.95 in 100 mm
Package Level 2 Depth / Length	2.5 in 64 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M20 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	plastic fitting for conduit
Product Type	Conduit Fitting with Metric Threads
Size	NC 21mm
UPC	786210279794

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AL21/M20/SA/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AL21/M20/SA/BL

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

