

PRODUCT-DETAILS

# AL21/M20/SFA/BL

## M20 BRASS SWIVEL ALOK FEMALE



### General Information

Extended Product Type	AL21/M20/SFA/BL
Product ID	7TCA296000R0617
EAN	5020963011344
Catalog Description	M20 BRASS SWIVEL ALOK FEMALE
Long Description	Straight Conduit Fitting, Swivel Internal Female Thread, Nominal Conduit Size 21mm, M20 Thread, Polyamide (Nylon) 66, Nickel Plated Brass Thread, Black

### Ordering

EAN	5020963011344
-----	---------------

### Dimensions

Product Net Weight	.09 lb 40.816 g
--------------------	--------------------

### Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	2.5 in 64 mm
Package Level 1 Height	2.5 in 64 mm

Package Level 1 Depth / Length	2.7 in 69 mm
Package Level 2 Units	100 piece
Package Level 2 Width	2.5 in 64 mm
Package Level 2 Height	2.5 in 64 mm
Package Level 2 Depth / Length	2.7 in 69 mm

---

### Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M20 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	Plastic conduit
Product Type	Conduit Fitting with Metric Threads
Size	NC 21mm
UPC	786210279800

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AL21/M20/SFA/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AL21/M20/SFA/BL

---

### Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

