

PRODUCT-DETAILS

# AL21/PG16/C90/BL

## 21-PG16 BL 90(AL21/PG16/90/BL)



### General Information

Extended Product Type	AL21/PG16/C90/BL
Product ID	7TCA296000R0682
EAN	5020963012839
Catalog Description	21-PG16 BL 90(AL21/PG16/90/BL)
Long Description	90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 21mm, PG16 Thread, Polyamide (Nylon) 66, Black

### Ordering

EAN	5020963012839
-----	---------------

### Dimensions

Product Net Weight	.07 lb 31.746 g
--------------------	--------------------

### Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	2.4 in 61 mm
Package Level 1 Height	1.02 in 26 mm

Package Level 1 Depth / Length	2.1 in 53 mm
Package Level 2 Units	200 piece
Package Level 2 Width	2.4 in 61 mm
Package Level 2 Height	1.02 in 26 mm
Package Level 2 Depth / Length	2.1 in 53 mm

---

### Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	PG16 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	ADAPTAFLEX
Product Type	Conduit Fitting with PG Threads
Size	NC 21mm
UPC	786210288239

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AL21/PG16/C90/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AL21/PG16/C90/BL

---

### Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

