

PRODUCT-DETAILS

AL28/A/U/BL

ALU COUPLER FOR AL2 8



General Information

Extended Product Type	AL28/A/U/BL
Product ID	7TCA296000R0779
EAN	5020963052163
Catalog Description	ALU COUPLER FOR AL2 8
Long Description	Straight PA66 Body Swivel Coupler, Nominal Conduit Size 28mm, Polyamide (Nylon) 66 and Aluminium, Black

Ordering

EAN	5020963052163
-----	---------------

Dimensions

Product Net Depth / Length	93.1 mm
Product Net Weight	.09 lb 40.816 g

Container Information

Package Level 2 Units	10 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	For Coupling Two Corrugated Flexible Conduits
Brand / Label	Adaptaflex
Color	Black
Material	Polyamide/Nylon 6.6 and Aluminium
Nominal Size	NC28
Number of Batteries	0
Outside Diameter	36.8 mm
Product Name	PLASTIC FITTING FOR CONDUIT
Product Type	Straight Body Swivel Coupler
Special Functions	High Impact Resistance
UPC	786210301327

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AL28/A/U/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AL28/A/U/BL

Classifications

ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

