

---

PRODUCT-DETAILS

# AL42/A/U/BL

## AL42-AL42 COUPLER



---

### General Information

Extended Product Type	AL42/A/U/BL
Product ID	7TCA296000R1073
EAN	5020963797217
Catalog Description	AL42-AL42 COUPLER
Long Description	Straight PA66 Body Swivel Coupler, Nominal Conduit Size 42mm, Polyamide (Nylon) 66 and Aluminium, Black

---

### Ordering

EAN	5020963797217
-----	---------------

---

### Dimensions

Product Net Depth / Length	116.2 mm
Product Net Weight	.22 lb 99.773 g

---

### Container Information

Package Level 2 Units	10 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

---

### Additional Information

Application	For Coupling Two Corrugated Flexible Conduits
Brand / Label	Adaptaflex
Color	Black
Material	Polyamide/Nylon 6.6 and Aluminium
Nominal Size	NC42
Number of Batteries	0
Outside Diameter	53.8 mm
Product Name	PLASTIC FITTINGS OR TUBES, PIPES
Product Type	Straight Body Swivel Coupler
Special Functions	High Impact Resistance
UPC	786210292526

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	AL42/A/U/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	AL42/A/U/BL

---

### Classifications

ETIM 6	EC001172 - Coupler for corrugated plastic hoses
ETIM 7	EC001172 - Coupler for corrugated plastic hoses
UNSPSC	39131707
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5548 >> Electrical conduit coupling

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

