
PRODUCT-DETAILS

ASC42/M40/A/BL

M40 PA66 LQT NYLON FITTING



General Information

Extended Product Type	ASC42/M40/A/BL
Product ID	7TCA296000R1545
EAN	5020963014024
Catalog Description	M40 PA66 LQT NYLON FITTING
Long Description	Adaptaseal Straight Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 42mm, M40 Thread, Polyamide (Nylon) 66, Black

Ordering

EAN	5020963014024
-----	---------------

Dimensions

Product Net Weight	.12 lb 54.422 g
--------------------	--------------------

Container Information

Package Level 1 Units	2 piece
Package Level 1 Width	1.5 in 38 mm
Package Level 1 Height	1.5 in 38 mm

Package Level 1 Depth / Length	1.4 in 36 mm
Package Level 2 Units	50 piece
Package Level 2 Width	1.5 in 38 mm
Package Level 2 Height	1.5 in 38 mm
Package Level 2 Depth / Length	1.4 in 36 mm

Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M40 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	ADAPTAFLEX
Product Type	Conduit Fitting with Metric Threads
Size	NC 42mm
UPC	786210281483

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ASC42/M40/A/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	ASC42/M40/A/BL

Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

