

PRODUCT-DETAILS

# ASF13/M16/C90/BL

## 13-M16 BLCE(ASF13/M16/90/BL)



### General Information

Extended Product Type	ASF13/M16/C90/BL
Product ID	7TCA296000R1589
EAN	5020963014727
Catalog Description	13-M16 BLCE(ASF13/M16/90/BL)
Long Description	Adaptaseal 90 Degree Conduit Fitting, Fixed External Male Thread, Nominal Conduit Size 13mm, M16 Thread, Polyamide (Nylon) 66, Black

### Ordering

EAN	5020963014727
-----	---------------

### Dimensions

Product Net Weight	.03 lb 13.605 g
--------------------	--------------------

### Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	1.5 in 38 mm
Package Level 1 Height	1.4 in 36 mm

Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	100 piece
Package Level 2 Width	1.5 in 38 mm
Package Level 2 Height	1.4 in 36 mm
Package Level 2 Depth / Length	1 in 25 mm

---

### Additional Information

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Brand / Label	Adaptaflex
Cable Entry Position	M16 Thread
Color	Black
Material	Polyamide/Nylon 6.6
Number of Batteries	0
Product Name	ADAPTAFLEX
Product Type	Conduit Fitting with Metric Threads
Size	NC 13mm
UPC	786210253688

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	ASF13/M16/C90/BL
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	ASF13/M16/C90/BL

---

### Classifications

ETIM 6	EC001176 - Screw connection for corrugated plastic hose
ETIM 7	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4441 >> Electrical fittings

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

