

PRODUCT-DETAILS

CPFM13/BL/50M

CPE 13MM BLACK 50M



Product image
not available

General Information

Extended Product Type	CPFM13/BL/50M
Product ID	7TCA296000R1765
EAN	5020963020681
Catalog Description	CPE 13MM BLACK 50M
Long Description	Medium Weight Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.0mm, Inside Diameter 9.5mm, Static Bend Radius 25mm, Reel Length 50 Meters, Polyester, Black

Ordering

EAN	5020963020681
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	4.3 lb 1.95 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors, Low Temperature Flexing, High Impact Resistance
Brand / Label	Adaptaflex
Color	Black
Flexibility	Very High
Inside Diameter	9.5 mm
Material	Polyester
Nominal Size	13 mm
Number of Batteries	0
Outside Diameter	13.0 mm
Product Name	ADAPTAFLEX
Product Type	Medium Weight Conduit with Fine Pitch
Radius	25 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210274102

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPFM13/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	CPFM13/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available