

PRODUCT-DETAILS

# CPFM16/BL/50M

## CPE 16MM BLACK 50M



Product image  
not available

### General Information

Extended Product Type	CPFM16/BL/50M
Product ID	7TCA296000R1766
EAN	5020963027109
Catalog Description	CPE 16MM BLACK 50M
Long Description	Medium Weight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.3mm, Static Bend Radius 30mm, Reel Length 50 Meters, Polyester, Black

### Ordering

EAN	5020963027109
-----	---------------

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	5.84 lb 2.649 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

## Additional Information

Application	Indoors / Outdoors, Low Temperature Flexing, High Impact Resistance
Brand / Label	Adaptaflex
Color	Black
Flexibility	Very High
Inside Diameter	11.3 mm
Material	Polyester
Nominal Size	16 mm
Number of Batteries	0
Outside Diameter	15.8 mm
Product Name	ADAPTAFLEX
Product Type	Medium Weight Conduit with Fine Pitch
Radius	30 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210274119

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	CPFM16/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	CPFM16/BL/50M

## Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available