

PRODUCT-DETAILS

PACH34/BL/50M

HVY WGT BLK NC34 NYL COND NC34 50M



General Information

Extended Product Type	PACH34/BL/50M
Product ID	7TCA296000R1896
EAN	5020963007989
Catalog Description	HVY WGT BLK NC34 NYL COND NC34 50M
Long Description	Heavyweight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 26.8mm, Static Bend Radius 75mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963007989
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	17.09 lb 7.751 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Rail, Heavy Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	Medium
Inside Diameter	26.8 mm
Material	Polyamide/Nylon 6
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Heavyweight Conduit with Coarse Pitch
Radius	75 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210146980

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACH34/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACH34/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

