

PRODUCT-DETAILS

PACH42/BL/25M

HVY WGT NYL COND NC42 25M



General Information

Extended Product Type	PACH42/BL/25M
Product ID	7TCA296000R1903
EAN	5020963003875
Catalog Description	HVY WGT NYL COND NC42 25M
Long Description	Heavyweight Conduit, Nominal Conduit Size 42mm, NW Conduit Size 36, Coarse Conduit Pitch, Outside Diameter 42.5mm, Inside Diameter 34.6mm, Static Bend Radius 90mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963003875
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	10.75 lb 4.875 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	40 in 1016 mm

Package Level 1 Height	50 in 1270 mm
Package Level 1 Depth / Length	48 in 1219 mm
Package Level 2 Units	1 piece
Package Level 2 Width	40 in 1016 mm
Package Level 2 Height	50 in 1270 mm
Package Level 2 Depth / Length	48 in 1219 mm
Package Level 3 Units	3 piece

Additional Information

Application	Indoors / Outdoors - Rail, Heavy Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	Medium
Inside Diameter	34.6 mm
Material	Polyamide/Nylon 6
Nominal Size	42 mm
Number of Batteries	0
Outside Diameter	42.5 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Coarse Pitch
Radius	90 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210147536

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACH42/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACH42/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

