

PRODUCT-DETAILS

# PACH54/BL/25M

## HVY WGT NYL COND NC54 25M



### General Information

Extended Product Type	PACH54/BL/25M
Product ID	7TCA296000R1912
EAN	5020963004070
Catalog Description	HVY WGT NYL COND NC54 25M
Long Description	Heavyweight Conduit, Nominal Conduit Size 54mm, NW Conduit Size 48, Coarse Conduit Pitch, Outside Diameter 54.5mm, Inside Diameter 46.0mm, Static Bend Radius 95mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Black

### Ordering

EAN	5020963004070
-----	---------------

### Dimensions

Product Net Depth / Length	25 m
Product Net Weight	14.33 lb 6.499 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors - Rail, Heavy Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	Medium
Inside Diameter	46.0 mm
Material	Polyamide/Nylon 6
Nominal Size	54 mm
Number of Batteries	0
Outside Diameter	54.5 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Coarse Pitch
Radius	95 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210147567

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACH54/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACH54/BL/25M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

