

PRODUCT-DETAILS

# PACL34/GR/50M

## LIGHT WGT GRY NYL COND NC34 50M



Product image  
not available

### General Information

Extended Product Type	PACL34/GR/50M
Product ID	7TCA296000R1941
EAN	5020963002458
Catalog Description	LIGHT WGT GRY NYL COND NC34 50M
Long Description	Lightweight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.9mm, Static Bend Radius 60mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Grey

### Ordering

EAN	5020963002458
-----	---------------

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	13.23 lb 6 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Gray
Flexibility	High
Inside Diameter	27.9 mm
Material	Polyamide/Nylon 6
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	ADAPTAFLEX
Product Type	Lightweight Conduit with Coarse Pitch
Radius	60 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210267418

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACL34/GR/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACL34/GR/50M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available