

PRODUCT-DETAILS

PACL42/BL/25M

LIGHT WGT BLK NYLON CONDIUT 25M



Product image
not available

General Information

Extended Product Type	PACL42/BL/25M
Product ID	7TCA296000R1947
EAN	5020963013171
Catalog Description	LIGHT WGT BLK NYLON CONDIUT 25M
Long Description	Lightweight Conduit, Nominal Conduit Size 42mm, NW Conduit Size 36, Coarse Conduit Pitch, Outside Diameter 42.5mm, Inside Diameter 35.2mm, Static Bend Radius 65mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963013171
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	10.15 lb 4.603 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	35.2 mm
Material	Polyamide/Nylon 6
Nominal Size	42 mm
Number of Batteries	0
Outside Diameter	42.5 mm
Product Name	ADAPTAFLEX
Product Type	Lightweight Conduit with Coarse Pitch
Radius	65 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210267425

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACL42/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACL42/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available