

PRODUCT-DETAILS

# PACL42/BL/50M

## LIGHT WGT BLK NYLON CONDIUT 50M



Product image  
not available

### General Information

Extended Product Type	PACL42/BL/50M
Product ID	7TCA296000R1951
EAN	5020963052897
Catalog Description	LIGHT WGT BLK NYLON CONDIUT 50M
Long Description	Lightweight Conduit, Nominal Conduit Size 42mm, NW Conduit Size 36, Coarse Conduit Pitch, Outside Diameter 42.5mm, Inside Diameter 35.2mm, Static Bend Radius 65mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

### Ordering

EAN	5020963052897
-----	---------------

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	13.23 lb 6 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

### Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	35.2 mm
Material	Polyamide/Nylon 6
Nominal Size	42 mm
Number of Batteries	0
Outside Diameter	42.5 mm
Product Name	PVC CONDUIT
Product Type	Lightweight Conduit with Coarse Pitch
Radius	65 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210300108

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACL42/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACL42/BL/50M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available