

PRODUCT-DETAILS

PACS34/BL/10M

STD WGT BLK CRSE NYL COND NC34 10M



General Information

Extended Product Type	PACS34/BL/10M
Product ID	7TCA296000R1999
EAN	5020963013003
Catalog Description	STD WGT BLK CRSE NYL COND NC34 10M
Long Description	Standard Weight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.7mm, Static Bend Radius 60mm, Reel Length 10 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963013003
-----	---------------

Dimensions

Product Net Depth / Length	10 m
Product Net Weight	2.98 lb 1.351 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	27.7 mm
Material	Polyamide/Nylon 6
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	60 mm
Special Functions	High Fatigue Life, Self Extinguishing, Halogen Free
UPC	786210267616

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACS34/BL/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACS34/BL/10M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

