

PRODUCT-DETAILS

PACS42/BL/25M

STD WGT BLK NYL COND NC36 25M



General Information

Extended Product Type	PACS42/BL/25M
Product ID	7TCA296000R2015
EAN	5020963000652
Catalog Description	STD WGT BLK NYL COND NC36 25M
Long Description	Standard Weight Conduit, Nominal Conduit Size 42mm, NW Conduit Size 36, Coarse Conduit Pitch, Outside Diameter 42.5mm, Inside Diameter 35.2mm, Static Bend Radius 65mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963000652
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	8.98 lb 4.073 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	210 in 5334 mm

Package Level 1 Height	210 in 5334 mm
Package Level 1 Depth / Length	640 in 16256 mm
Package Level 2 Units	1 piece
Package Level 2 Width	40 in 1016 mm
Package Level 2 Height	50 in 1270 mm
Package Level 2 Depth / Length	48 in 1219 mm
Package Level 3 Units	10 piece
Package Level 3 Width	40 in 1016 mm
Package Level 3 Height	50 in 1270 mm
Package Level 3 Depth / Length	48 in 1219 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	35.2 mm
Material	Polyamide/Nylon 6
Nominal Size	42 mm
Number of Batteries	0
Outside Diameter	42.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	65 mm
Special Functions	High Fatigue Life, Self Extinguishing, Halogen Free
UPC	786210147024

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACS42/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACS42/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

