

PRODUCT-DETAILS

PACS54/BL/25M

STD WGT BLK NYL COND NC54 25M



General Information

| | |
|-----------------------|---|
| Extended Product Type | PACS54/BL/25M |
| Product ID | 7TCA296000R2033 |
| EAN | 5020963000515 |
| Catalog Description | STD WGT BLK NYL COND NC54 25M |
| Long Description | Standard Weight Conduit, Nominal Conduit Size 54mm, NW Conduit Size 48, Coarse Conduit Pitch, Outside Diameter 54.5mm, Inside Diameter 46.5mm, Static Bend Radius 75mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963000515 |
|-----|---------------|

Dimensions

| | |
|----------------------------|---------------------|
| Product Net Depth / Length | 25 m |
| Product Net Weight | 13.3 lb 6.032 kg |

Container Information

| | |
|-----------------------|-------------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 24.5 in 622 mm |

| | |
|--------------------------------|-------------------|
| Package Level 1 Height | 50 in 1270 mm |
| Package Level 1 Depth / Length | 24.5 in 622 mm |
| Package Level 2 Units | 10 piece |
| Package Level 2 Width | 40 in 1016 mm |
| Package Level 2 Height | 50 in 1270 mm |
| Package Level 2 Depth / Length | 48 in 1219 mm |
| Package Level 3 Units | 10 piece |
| Package Level 3 Width | 40 in 1016 mm |
| Package Level 3 Height | 50 in 1270 mm |
| Package Level 3 Depth / Length | 48 in 1219 mm |

Additional Information

| | |
|---------------------|--|
| Application | Indoors / Outdoors - Light Industrial, Buildings & Machinery |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | High |
| Inside Diameter | 46.5 mm |
| Material | Polyamide/Nylon 6 |
| Nominal Size | 54 mm |
| Number of Batteries | 0 |
| Outside Diameter | 54.5 mm |
| Product Name | ADAPTAFLEX NYLON CONDUIT |
| Product Type | Standard Weight Conduit with Coarse Pitch |
| Radius | 75 mm |
| Special Functions | High Fatigue Life, Self Extinguishing, Halogen Free |
| UPC | 786210147161 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | PACS54/BL/25M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | PACS54/BL/25M |

Classifications

| | |
|------------------------------------|------------------------------------|
| ETIM 6 | EC001175 - Corrugated plastic hose |
| ETIM 7 | EC001175 - Corrugated plastic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

