

PRODUCT-DETAILS

# PACS54/GR/10M

## STD WGT GREY NYLON CONDUIT 10M



### General Information

Extended Product Type	PACS54/GR/10M
Product ID	7TCA296000R2040
EAN	5020963798863
Catalog Description	STD WGT GREY NYLON CONDUIT 10M
Long Description	Standard Weight Conduit, Nominal Conduit Size 54mm, NW Conduit Size 48, Coarse Conduit Pitch, Outside Diameter 54.5mm, Inside Diameter 46.5mm, Static Bend Radius 75mm, Reel Length 10 Meters, Polyamide (Nylon) 6, Grey

### Ordering

EAN	5020963798863
-----	---------------

### Dimensions

Product Net Depth / Length	10 m
Product Net Weight	2.41 lb 1.093 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Gray
Flexibility	High
Inside Diameter	46.5 mm
Material	Polyamide/Nylon 6
Nominal Size	54 mm
Number of Batteries	0
Outside Diameter	54.5 mm
Product Name	FLEXIBLE TUBING
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	75 mm
Special Functions	High Fatigue Life, Self Extinguishing, Halogen Free
UPC	786210299563

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PACS54/GR/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PACS54/GR/10M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

