

PRODUCT-DETAILS

PADL34/BL/100FT

STNDWEIGHT COND PA6UR 34MM 100FT BL



Product image
not available

General Information

Extended Product Type	PADL34/BL/100FT
Product ID	7TCA296000R2064
EAN	5020963048289
Catalog Description	STNDWEIGHT COND PA6UR 34MM 100FT BL
Long Description	Standard Weight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.7mm, Static Bend Radius 75mm, Reel Length 100 Feet, UL Recognized, Modified Polyamide (Nylon) 6, Black

Ordering

EAN	5020963048289
-----	---------------

Dimensions

Product Net Depth / Length	100 ft
Product Net Weight	10.89 lb 4.939 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Machine Tools, Equipment, Where UL Recognition is Required
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	27.7 mm
Material	Polyamide/Nylon 6
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	"FLEXIBLE CONDUIT, NYLON"
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	75 mm
Special Functions	Very High UV Protection and Fatigue Life
Standards	UL E173968
UPC	786210241241

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PADL34/BL/100FT
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PADL34/BL/100FT

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available