

PRODUCT-DETAILS

PAFH16/BL/50M

HVY WGT BLK NYL COND 50M



General Information

Extended Product Type	PAFH16/BL/50M
Product ID	7TCA296000R2077
EAN	5020963049712
Catalog Description	HVY WGT BLK NYL COND 50M
Long Description	Heavyweight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.3mm, Static Bend Radius 45mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963049712
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	5.07 lb 2.299 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	24.5 in 622 mm

Package Level 1 Height	5 in 127 mm
Package Level 1 Depth / Length	24.5 in 622 mm
Package Level 2 Units	1 piece
Package Level 2 Width	40 in 1016 mm
Package Level 2 Height	50 in 1270 mm
Package Level 2 Depth / Length	48 in 1219 mm
Package Level 3 Units	10 piece
Package Level 3 Width	40 in 1016 mm
Package Level 3 Height	50 in 1270 mm
Package Level 3 Depth / Length	48 in 1219 mm

Additional Information

Application	Indoors / Outdoors - Rail, Heavy Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	Medium
Inside Diameter	11.3 mm
Material	Polyamide/Nylon 6
Nominal Size	16 mm
Number of Batteries	0
Outside Diameter	15.8 mm
Product Name	"flexible conduit, nylon"
Product Type	Heavyweight Conduit with Fine Pitch
Radius	45 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210241289

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFH16/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFH16/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

