

PRODUCT-DETAILS

# PAFL13/BL/50M

## LIGHT WGT BLK NYL COND NC13 50M



### General Information

Extended Product Type	PAFL13/BL/50M
Product ID	7TCA296000R2093
EAN	5020963013591
Catalog Description	LIGHT WGT BLK NYL COND NC13 50M
Long Description	Lightweight Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.0mm, Inside Diameter 10.0mm, Static Bend Radius 25mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

### Ordering

EAN	5020963013591
-----	---------------

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	2.46 lb 1.116 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm
Package Level 3 Units	1 piece
Package Level 3 Width	37 in 940 mm
Package Level 3 Height	17 in 432 mm
Package Level 3 Depth / Length	17 in 432 mm

### Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	10.0 mm
Material	Polyamide/Nylon 6
Nominal Size	13 mm
Number of Batteries	0
Outside Diameter	13.0 mm
Product Name	ADAPTAFLEX
Product Type	Lightweight Conduit with Fine Pitch
Radius	25 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210268392

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL13/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL13/BL/50M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

