

PRODUCT-DETAILS

PAFL16/BL/500M

16MM LIGHTWEIGHT CONDUIT BLACK NYLO



General Information

Extended Product Type	PAFL16/BL/500M
Product ID	7TCA296000R2106
EAN	5020963783951
Catalog Description	16MM LIGHTWEIGHT CONDUIT BLACK NYLO
Long Description	Lightweight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.9mm, Static Bend Radius 35mm, Reel Length 500 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963783951
-----	---------------

Dimensions

Product Net Depth / Length	500 m
Product Net Weight	38.58 lb 17.497 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	5 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	11.9 mm
Material	Polyamide/Nylon 6
Nominal Size	16 mm
Number of Batteries	0
Outside Diameter	15.8 mm
Product Name	Plastic conduit
Product Type	Lightweight Conduit with Fine Pitch
Radius	35 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210268460

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL16/BL/500M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL16/BL/500M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

