

PRODUCT-DETAILS

PAFL21/BL/350M

LIGHT WGT BLACK NYLON CONDUIT 350M



General Information

Extended Product Type	PAFL21/BL/350M
Product ID	7TCA296000R2124
EAN	5020963019753
Catalog Description	LIGHT WGT BLACK NYLON CONDUIT 350M
Long Description	Lightweight Conduit, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 16.8mm, Static Bend Radius 45mm, Reel Length 350 Meters, Polyamide (Nylon) 6, Black

Ordering

EAN	5020963019753
-----	---------------

Dimensions

Product Net Depth / Length	350 m
Product Net Weight	43.21 lb 19.596 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	16.8 mm
Material	Polyamide/Nylon 6
Nominal Size	21 mm
Number of Batteries	0
Outside Diameter	21.2 mm
Product Name	Plastic conduit
Product Type	Lightweight Conduit with Fine Pitch
Radius	45 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210268538

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL21/BL/350M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL21/BL/350M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

