

PRODUCT-DETAILS

PAFL21/GR/50M

LIGHT WGT GRY NYL COND NC21 50M



General Information

Extended Product Type	PAFL21/GR/50M
Product ID	7TCA296000R2128
EAN	5020963002274
Catalog Description	LIGHT WGT GRY NYL COND NC21 50M
Long Description	Lightweight Conduit, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 16.8mm, Static Bend Radius 45mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Grey

Ordering

EAN	5020963002274
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	6.17 lb 2.798 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Gray
Flexibility	High
Inside Diameter	16.8 mm
Material	Polyamide/Nylon 6
Nominal Size	21 mm
Number of Batteries	0
Outside Diameter	21.2 mm
Product Name	FLEXIBLE CONDUIT, NYLON
Product Type	Lightweight Conduit with Fine Pitch
Radius	45 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210268545

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL21/GR/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL21/GR/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

