

PRODUCT-DETAILS

# PAFL34/BL/100M

## 34.5MM CONDUIT BLACK100M REELS



### General Information

Extended Product Type	PAFL34/BL/100M
Product ID	7TCA296000R2137
EAN	5020963053078
Catalog Description	34.5MM CONDUIT BLACK100M REELS
Long Description	Non-Metallic Light Weight Flexible Conduit, Nominal Conduit Size 34, Static Bend Radius 60 Millimeters, Fine Pitch, Low Fire Hazard, Length 100 Meters, Polyamide 6, Black

### Ordering

EAN	5020963053078
-----	---------------

### Dimensions

Product Net Depth / Length	100 m
Product Net Weight	26.46 lb 12 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Material	Polyamide/Nylon 6
Nominal Size	34 mm
Number of Batteries	0
Product Name	PVC CONDUIT
Product Type	Lightweight Conduit with Fine Pitch
Radius	60 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210300399

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL34/BL/100M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL34/BL/100M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

