

PRODUCT-DETAILS

PAFL34/BL/50M

34.5MM CONDUIT BLACK 50M REELS



General Information

Extended Product Type	PAFL34/BL/50M
Product ID	7TCA296000R2138
EAN	5020963031144
Catalog Description	34.5MM CONDUIT BLACK 50M REELS
Long Description	Non-Metallic Light Weight Flexible Conduit, Nominal Conduit Size 34, Static Bend Radius 60 Millimeters, Fine Pitch, Low Fire Hazard, Length 50 Meters, Polyamide 6, Black

Ordering

EAN	5020963031144
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	13.23 lb 6 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Material	Polyamide/Nylon 6
Nominal Size	34 mm
Number of Batteries	0
Product Name	ADAPTAFLEX
Product Type	Lightweight Conduit with Fine Pitch
Radius	60 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210268613

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL34/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL34/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

