

PRODUCT-DETAILS

# PAFS13/BL/1000M

## 13MM STD WEIGHT NYLON CONDUIT 1000M



### General Information

Extended Product Type	PAFS13/BL/1000M
Product ID	7TCA296000R2150
EAN	5020963784408
Catalog Description	13MM STD WEIGHT NYLON CONDUIT 1000M
Long Description	Standard Weight Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.0mm, Inside Diameter 9.6mm, Static Bend Radius 25mm, Reel Length 1,000 Meters, Polyamide (Nylon) 6, Black

### Ordering

EAN	5020963784408
-----	---------------

### Dimensions

Product Net Depth / Length	100 m
Product Net Weight	61.73 lb 27.995 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	9.6 mm
Material	Polyamide/Nylon 6
Nominal Size	13 mm
Number of Batteries	0
Outside Diameter	13.0 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Fine Pitch
Radius	25 mm
Special Functions	High Fatigue Life, Self Extinguishing, Halogen Free
UPC	786210268668

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFS13/BL/1000M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFS13/BL/1000M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

