

PRODUCT-DETAILS

PAFS21/BL/100M

STD WGT BLK NYL COND NC21 BLK



General Information

| | |
|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | PAFS21/BL/100M |
| Product ID | 7TCA296000R2198 |
| EAN | 5020963052705 |
| Catalog Description | STD WGT BLK NYL COND NC21 BLK |
| Long Description | Standard Weight Conduit, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 16.5mm, Static Bend Radius 45mm, Reel Length 100 Meters, Polyamide (Nylon) 6, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963052705 |
|-----|---------------|

Dimensions

| | |
|----------------------------|----------------------|
| Product Net Depth / Length | 100 m |
| Product Net Weight | 13.49 lb 6.118 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 1 Units | 1 piece |
| Package Level 2 Units | 1 piece |

| | |
|--------------------------------|---------------|
| Package Level 2 Width | 1 in 25 mm |
| Package Level 2 Height | 1 in 25 mm |
| Package Level 2 Depth / Length | 1 in 25 mm |

Additional Information

| | |
|---------------------|--------------------------------------------------------------|
| Application | Indoors / Outdoors - Light Industrial, Buildings & Machinery |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | High |
| Inside Diameter | 16.5 mm |
| Material | Polyamide/Nylon 6 |
| Nominal Size | 21 mm |
| Number of Batteries | 0 |
| Outside Diameter | 21.2 mm |
| Product Name | ADAPTAFLEX |
| Product Type | Standard Weight Conduit with Fine Pitch |
| Radius | 45 mm |
| Special Functions | High Fatigue Life, Self Extinguishing, Halogen Free |
| UPC | 786210147598 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | PAFS21/BL/100M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | PAFS21/BL/100M |

Classifications

| | |
|------------------------------------|------------------------------------|
| ETIM 6 | EC001175 - Corrugated plastic hose |
| ETIM 7 | EC001175 - Corrugated plastic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

