

PRODUCT-DETAILS

# PAFS28/BL/100M

## CONDUIT 28MM 100M REEL NYLON BLACK



### General Information

Extended Product Type	PAFS28/BL/100M
Product ID	7TCA296000R2224
EAN	5020963018718
Catalog Description	CONDUIT 28MM 100M REEL NYLON BLACK
Long Description	Standard Weight Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Fine Conduit Pitch, Outside Diameter 28.5mm, Inside Diameter 22.6mm, Static Bend Radius 50mm, Reel Length 100 Meters, Polyamide (Nylon) 6, Black

### Ordering

EAN	5020963018718
-----	---------------

### Dimensions

Product Net Depth / Length	100 m
Product Net Weight	22.49 lb 10.2 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	22.6 mm
Material	Polyamide/Nylon 6
Nominal Size	28 mm
Number of Batteries	0
Outside Diameter	28.5 mm
Product Name	"flexible conduit, nylon"
Product Type	Standard Weight Conduit with Fine Pitch
Radius	50 mm
Special Functions	High Fatigue Life, Self Extinguishing, Halogen Free
UPC	786210147109

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFS28/BL/100M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFS28/BL/100M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

