

PRODUCT-DETAILS

# PFCH34/BL/25M

## HVY WGT BLK POLY12 COND NC34 25M BL



Product image  
not available

### General Information

Extended Product Type	PFCH34/BL/25M
Product ID	7TCA296000R2271
EAN	5020963779510
Catalog Description	HVY WGT BLK POLY12 COND NC34 25M BL
Long Description	Heavyweight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.5mm, Static Bend Radius 70mm, Reel Length 25 Meters, Modified Polyamide 12, Black

### Ordering

EAN	5020963779510
-----	---------------

### Dimensions

Product Net Depth / Length	25 m
Product Net Weight	8.82 lb 4 kg

### Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

### Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	27.5 mm
Material	Polyamide 12
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Coarse Pitch
Radius	70 mm
Special Functions	High Impact Resistance
UPC	786210269726

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFCH34/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFCH34/BL/25M

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available