

PRODUCT-DETAILS

PFCH54/BL/25M

54MM OD NYLON 12 CONDUIT BLACK 25M



Product image
not available

General Information

Extended Product Type	PFCH54/BL/25M
Product ID	7TCA296000R2274
EAN	5020963779534
Catalog Description	54MM OD NYLON 12 CONDUIT BLACK 25M
Long Description	Heavyweight Conduit, Nominal Conduit Size 54mm, NW Conduit Size 48, Coarse Conduit Pitch, Outside Diameter 54.5mm, Inside Diameter 46.4mm, Static Bend Radius 85mm, Reel Length 25 Meters, Modified Polyamide 12, Black

Ordering

EAN	5020963779534
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	13.78 lb 6.249 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	46.4 mm
Material	Polyamide 12
Nominal Size	54 mm
Number of Batteries	0
Outside Diameter	54.5 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Coarse Pitch
Radius	85 mm
Special Functions	High Impact Resistance
UPC	786210269740

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFCH54/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFCH54/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available