

PRODUCT-DETAILS

PFCS34/BL/25M

34MM OD NYLON 12 COND BLK 25M



Product image
not available

General Information

Extended Product Type	PFCS34/BL/25M
Product ID	7TCA296000R2276
EAN	5020963054518
Catalog Description	34MM OD NYLON 12 COND BLK 25M
Long Description	Standard Weight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.7mm, Static Bend Radius 60mm, Reel Length 25 Meters, Modified Polyamide 12, Black

Ordering

EAN	5020963054518
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	6.72 lb 3.048 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	27.7 mm
Material	Polyamide 12
Nominal Size	34 mm
Number of Batteries	0
Outside Diameter	34.5 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	60 mm
Special Functions	High Impact Resistance
UPC	786210269764

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFCS34/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFCS34/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available