

PRODUCT-DETAILS

PFCS42/BL/25M

42MM OD NYLON 12 COND BLK 25M



Product image
not available

General Information

Extended Product Type	PFCS42/BL/25M
Product ID	7TCA296000R2278
EAN	5020963051722
Catalog Description	42MM OD NYLON 12 COND BLK 25M
Long Description	Standard Weight Conduit, Nominal Conduit Size 42mm, NW Conduit Size 36, Coarse Conduit Pitch, Outside Diameter 42.5mm, Inside Diameter 35.5mm, Static Bend Radius 65mm, Reel Length 25 Meters, Modified Polyamide 12, Black

Ordering

EAN	5020963051722
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	8.98 lb 4.073 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	1 in 25 mm

Package Level 1 Height	1 in 25 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	35.5 mm
Material	Polyamide 12
Nominal Size	42 mm
Number of Batteries	0
Outside Diameter	42.5 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	65 mm
Special Functions	High Impact Resistance
UPC	786210269771

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFCS42/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFCS42/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available