

PRODUCT-DETAILS

PFCS54/BL/25M

54MM OD NYLON 12 COND BLK 25M



Product image
not available

General Information

Extended Product Type	PFCS54/BL/25M
Product ID	7TCA296000R2280
EAN	5020963051708
Catalog Description	54MM OD NYLON 12 COND BLK 25M
Long Description	Standard Weight Conduit, Nominal Conduit Size 54mm, NW Conduit Size 48, Coarse Conduit Pitch, Outside Diameter 54.5mm, Inside Diameter 46.6mm, Static Bend Radius 75mm, Reel Length 25 Meters, Modified Polyamide 12, Black

Ordering

EAN	5020963051708
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	12.29 lb 5.574 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	46.6 mm
Material	Polyamide 12
Nominal Size	54 mm
Number of Batteries	0
Outside Diameter	54.5 mm
Product Name	PLASTIC CONDUIT
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	75 mm
Special Functions	High Impact Resistance
UPC	786210269788

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFCS54/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFCS54/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available