

PRODUCT-DETAILS

PFFH13/BL/50M

13MM NYLON12 FINE CONDUIT 50M BLK



Product image
not available

General Information

Extended Product Type	PFFH13/BL/50M
Product ID	7TCA296000R2282
EAN	5020963054280
Catalog Description	13MM NYLON12 FINE CONDUIT 50M BLK
Long Description	Heavyweight Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.0mm, Inside Diameter 9.7mm, Static Bend Radius 40mm, Reel Length 50 Meters, Modified Polyamide 12, Black

Ordering

EAN	5020963054280
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	3.53 lb 1.601 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	9.7 mm
Material	Polyamide 12
Nominal Size	13 mm
Number of Batteries	0
Outside Diameter	13.0 mm
Product Name	ADAPTAFLEX
Product Type	Heavyweight Conduit with Fine Pitch
Radius	40 mm
Special Functions	High Impact Resistance
UPC	786210269795

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFFH13/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFFH13/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available