

PRODUCT-DETAILS

PFFS10/BL/50M

10M OD NYLON 12 COND 50M BLK



Product image
not available

General Information

Extended Product Type	PFFS10/BL/50M
Product ID	7TCA296000R2284
EAN	5020963054150
Catalog Description	10M OD NYLON 12 COND 50M BLK
Long Description	Standard Weight Conduit, Nominal Conduit Size 10mm, NW Conduit Size 8.5, Fine Conduit Pitch, Outside Diameter 10.0mm, Inside Diameter 6.2mm, Static Bend Radius 20mm, Reel Length 50 Meters, Modified Polyamide 12, Black

Ordering

EAN	5020963054150
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	1.98 lb 897.959 g

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	100 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Rail Exterior
Brand / Label	Adaptaflex
Color	Black
Inside Diameter	6.2 mm
Material	Polyamide 12
Nominal Size	10 mm
Number of Batteries	0
Outside Diameter	10.0 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Fine Pitch
Radius	20 mm
Special Functions	High Impact Resistance
UPC	786210269818

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PFFS10/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PFFS10/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available