

PRODUCT-DETAILS

PRCS54/BL/25M

PA6 FR STD WGT BLK 2NC54 5M



Product image
not available

General Information

Extended Product Type	PRCS54/BL/25M
Product ID	7TCA296000R2491
EAN	5020963003820
Catalog Description	PA6 FR STD WGT BLK 2NC54 5M
Long Description	Standard Weight Conduit, Nominal Conduit Size 54mm, NW Conduit Size 36, Coarse Conduit Pitch, Outside Diameter 42.5mm, Inside Diameter 35.1mm, Static Bend Radius 90mm, Reel Length 25 Meters, Modified Polyamide (Nylon) 6, Black

Ordering

EAN	5020963003820
-----	---------------

Dimensions

Product Net Depth / Length	25 m
Product Net Weight	12.95 lb 5.873 kg

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	37 in 940 mm

Package Level 1 Height	17 in 432 mm
Package Level 1 Depth / Length	17 in 432 mm
Package Level 2 Units	1 piece
Package Level 2 Width	37 in 940 mm
Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

Additional Information

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	35.1 mm
Material	Modified Polyamide/Nylon 6
Nominal Size	42 mm
Number of Batteries	0
Outside Diameter	42.5 mm
Product Name	PLASTIC FITTING FOR CONDUIT
Product Type	Standard Weight Conduit with Coarse Pitch
Radius	90 mm
Special Functions	Very High UV Protection
UPC	786210243801

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PRCS54/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRCS54/BL/25M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available