

PRODUCT-DETAILS

PRFS21/BL/50M

PA6 FR STD WGT BLK NC21 50M



Product image
not available

General Information

Extended Product Type	PRFS21/BL/50M
Product ID	7TCA296000R2507
EAN	5020963014604
Catalog Description	PA6 FR STD WGT BLK NC21 50M
Long Description	Standard Weight Conduit, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 16.6mm, Static Bend Radius 60mm, Reel Length 50 Meters, Modified Polyamide (Nylon) 6, Black

Ordering

EAN	5020963014604
-----	---------------

Dimensions

Product Net Depth / Length	50 m
Product Net Weight	6.61 lb 2.998 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	20 in 508 mm

Package Level 2 Height	7.5 in 191 mm
Package Level 2 Depth / Length	20 in 508 mm

Additional Information

Application	Indoors, Public Areas, Rail Infrastructure
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	16.6 mm
Material	Modified Polyamide/Nylon 6
Nominal Size	21 mm
Number of Batteries	0
Outside Diameter	21.2 mm
Product Name	ADAPTAFLEX
Product Type	Standard Weight Conduit with Fine Pitch
Radius	60 mm
Special Functions	Very High UV Protection
UPC	786210272030

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PRFS21/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PRFS21/BL/50M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available