

PRODUCT-DETAILS

PAFL28/BL/100M

28.3MM CONDUIT BLACK 100M REEL



General Information

Extended Product Type	PAFL28/BL/100M
Product ID	7TCA296000R2663
EAN	5020963799624
Catalog Description	28.3MM CONDUIT BLACK 100M REEL
Long Description	Non-Metallic Light Weight Flexible Conduit, Nominal Conduit Size 28, Static Bend Radius 50 Millimeters, Fine Pitch, Low Fire Hazard, Length 10 Meters, Polyamide 6, Black

Ordering

EAN	5020963799624
-----	---------------

Dimensions

Product Net Depth / Length	10 m
Product Net Weight	21 lb 9.524 kg

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	1 piece

Package Level 2 Width	1 in 25 mm
Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Material	Polyamide/Nylon 6
Nominal Size	28 mm
Number of Batteries	0
Product Name	Plastic conduit
Product Type	Lightweight Conduit with Fine Pitch
Radius	50 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210313429

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL28/BL/100M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL28/BL/100M

Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

