

---

PRODUCT-DETAILS

# PAFL10/GR/50M

## 10M LIGHTWEIGHT CONDUIT GREY



---

### General Information

Extended Product Type	PAFL10/GR/50M
Product ID	7TCA296000R2747
EAN	5020963803741
Catalog Description	10M LIGHTWEIGHT CONDUIT GREY
Long Description	Non-Metallic Light Weight Flexible Conduit, Nominal Conduit Size 10, Static Bend Radius 15 Millimeters, Fine Pitch, Low Fire Hazard, Length 50 Meters, Polyamide 6, Grey

---

### Ordering

EAN	5020963803741
-----	---------------

---

### Dimensions

Product Net Depth / Length	50 m
Product Net Weight	2.09 lb 947.846 g

---

### Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	18.5 in 470 mm

Package Level 2 Height	17 in 432 mm
Package Level 2 Depth / Length	17 in 432 mm

---

### Additional Information

Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Brand / Label	Adaptaflex
Color	Gray
Flexibility	High
Material	Polyamide/Nylon 6
Nominal Size	10 mm
Number of Batteries	0
Product Name	OTHER ARTICLES OF PLASTIC
Product Type	Lightweight Conduit with Fine Pitch
Radius	15 mm
Special Functions	Very High UV Protection and Fatigue Life
UPC	786210311302

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	PAFL10/GR/50M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	PAFL10/GR/50M

---

### Classifications

ETIM 6	EC001175 - Corrugated plastic hose
ETIM 7	EC001175 - Corrugated plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

