

PRODUCT-DETAILS

SP16/BL/5M

5M X SP16/BLACK CONDUIT



General Information

Extended Product Type	SP16/BL/5M
Product ID	7TCA296020R0086
EAN	5020963049156
Catalog Description	5M X SP16/BLACK CONDUIT
Long Description	Liquid Resistant, General Purpose, Highly Flexible Conduit, Nominal Conduit Size 16mm, Outside Diameter 17.0mm, Inside Diameter 13.0mm, Static Bend Radius 35mm, Reel Length 5 Meters, PVC Jacket with Galvanised Steel Core, Black

Ordering

EAN	5020963049156
-----	---------------

Dimensions

Product Net Depth / Length	5 m
Product Net Weight	2.48 lb 1.125 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, General Purpose, Buildings
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	13.0 mm
Material	Galvanized Steel Core with PVC Jacket
Nominal Size	3/8 in 16 mm
Number of Batteries	0
Outside Diameter	17.0 mm
Product Name	ADAPTAFLEX
Product Type	High Flexibility Conduit
Radius	35 mm
UPC	786210275444

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SP16/BL/5M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SP16/BL/5M

Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

