

PRODUCT-DETAILS

SP19/BL/10M

10M SP19/BLACK CONDUIT



General Information

Extended Product Type	SP19/BL/10M
Product ID	7TCA296020R0124
EAN	5020963047558
Catalog Description	10M SP19/BLACK CONDUIT
Long Description	Liquid Resistant, General Purpose, Highly Flexible Conduit, Nominal Conduit Size 19mm, Outside Diameter 17.0mm, Inside Diameter 13.0mm, Static Bend Radius 35mm, Reel Length 10 Meters, PVC Jacket with Galvanised Steel Core, Black

Ordering

EAN	5020963047558
-----	---------------

Dimensions

Product Net Depth / Length	10 m
Product Net Weight	6.06 lb 2.748 kg

Container Information

Package Level 2 Units	1 piece
Package Level 2 Width	1 in 25 mm

Package Level 2 Height	1 in 25 mm
Package Level 2 Depth / Length	1 in 25 mm

Additional Information

Application	Indoors / Outdoors - Light Industrial, General Purpose, Buildings
Brand / Label	Adaptaflex
Color	Black
Flexibility	High
Inside Diameter	13.0 mm
Material	Galvanized Steel Core with PVC Jacket
Nominal Size	19 mm
Number of Batteries	0
Outside Diameter	17.0 mm
Product Name	ADAPTAFLEX
Product Type	High Flexibility Conduit
Radius	35 mm
UPC	786210275529

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	SP19/BL/10M
Declaration of Conformity - CE	9AKK107492A9618
Instructions and Manuals	SP19/BL/10M

Classifications

ETIM 6	EC001179 - Protective metallic hose
ETIM 7	EC001179 - Protective metallic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

