

PRODUCT-DETAILS

SPL10/10M

10M X SPL10/BLACK CONDUIT



General Information

| | |
|-----------------------|---|
| Extended Product Type | SPL10/10M |
| Product ID | 7TCA296030R0037 |
| EAN | 5020963005558 |
| Catalog Description | 10M X SPL10/BLACK CONDUIT |
| Long Description | Liquid Tight, Oil Resistant, Medium Flexiblility Conduit, Nominal Conduit Size 10mm, Outside Diameter 11.8mm, Inside Diameter 7.0mm, Static Bend Radius 40mm, Reel Length 10 Meters, PVC Covering with Galvanised Steel Core, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963005558 |
|-----|---------------|

Dimensions

| | |
|----------------------------|---------------------|
| Product Net Depth / Length | 10 m |
| Product Net Weight | 3.57 lb 1.619 kg |

Container Information

| | |
|-----------------------|---------------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 1 in 25 mm |

| | |
|--------------------------------|---------------|
| Package Level 2 Height | 1 in 25 mm |
| Package Level 2 Depth / Length | 1 in 25 mm |

Additional Information

| | |
|---------------------|--|
| Application | Liquid Tight - Indoors / Outdoors, Marine, Buildings |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | Medium |
| Inside Diameter | 7.0 mm |
| Material | Galvanized Steel Core with PVC Covering |
| Nominal Size | 1/4 in NC10 |
| Number of Batteries | 0 |
| Outside Diameter | 11.8 mm |
| Product Name | flexible metal conduit |
| Product Type | Oil Resistant Conduit |
| Radius | 40 mm |
| UPC | 786210245775 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SPL10/10M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | SPL10/10M |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 6 | EC001179 - Protective metallic hose |
| ETIM 7 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5543 >> Liquid Tight Conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

