

PRODUCT-DETAILS

# SPL20/6M

## SPL20 6M CUT LENGTH



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | SPL20/6M   |
| Product ID            | 7TCA296030R0146  |
| EAN                   | 5020963020926  |
| Catalog Description   | SPL20 6M CUT LENGTH  |
| Long Description      | Liquid Tight, Oil Resistant, Medium Flexibility Conduit, Nominal Conduit Size 20mm, Outside Diameter 21.1mm, Inside Diameter 15.9mm, Static Bend Radius 80mm, Reel Length 6 Meters, PVC Covering with Galvanised Steel Core, Black |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5020963020926 |
|-----|---------------|

### Dimensions

|                            |                     |
|----------------------------|---------------------|
| Product Net Depth / Length | 6 m                 |
| Product Net Weight         | 5.26 lb<br>2.385 kg |

### Container Information

|                       |               |
|-----------------------|---------------|
| Package Level 2 Units | 1 piece       |
| Package Level 2 Width | 1 in<br>25 mm |

|                                |               |
|--------------------------------|---------------|
| Package Level 2 Height         | 1 in<br>25 mm |
| Package Level 2 Depth / Length | 1 in<br>25 mm |

## Additional Information

|                     |  |
|---------------------|--|
| Application         | Liquid Tight - Indoors / Outdoors, Marine, Buildings |
| Brand / Label       | Adaptaflex   |
| Color               | Black  |
| Flexibility         | Medium   |
| Inside Diameter     | 15.9 mm  |
| Material            | Galvanized Steel Core with PVC Covering              |
| Nominal Size        | 1/2 in<br>NC20                                       |
| Number of Batteries | 0  |
| Outside Diameter    | 21.1 mm  |
| Product Name        | ADAPTAFLEX   |
| Product Type        | Oil Resistant Conduit                                |
| Radius              | 80 mm  |
| UPC                 | 786210275093   |

## Certificates and Declarations (Document Number)

|                                   |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SPL20/6M        |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| Instructions and Manuals          | SPL20/6M        |

## Classifications

|                                    |                                     |
|------------------------------------|-------------------------------------|
| ETIM 6                             | EC001179 - Protective metallic hose |
| ETIM 7                             | EC001179 - Protective metallic hose |
| UNSPSC                             | 39131706                            |
| WEEE Category                      | Product Not in WEEE Scope           |
| IDEA Granular Category Code (IGCC) | 5543 >> Liquid Tight Conduit        |

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

