

PRODUCT-DETAILS

SPLHC50/10M

SPLHC50 CONDUIT 10M COIL



General Information

| | |
|-----------------------|---|
| Extended Product Type | SPLHC50/10M |
| Product ID | 7TCA296030R0355 |
| EAN | 5020963013072 |
| Catalog Description | SPLHC50 CONDUIT 10M COIL |
| Long Description | Liquid Tight, Extreme Temperature Covered Steel Flexible Conduit, Medium Flexibility, Nominal Conduit Size 50mm, Outside Diameter 47.9mm, Inside Diameter 40.4mm, Static Bend Radius 240mm, Reel Length 10 Meters, Thermoplastic Rubber Cover with Galvanised Steel Core, Black |

Ordering

| | |
|-----|---------------|
| EAN | 5020963013072 |
|-----|---------------|

Dimensions

| | |
|----------------------------|----------------------|
| Product Net Depth / Length | 10 m |
| Product Net Weight | 25.3 lb 11.474 kg |

Container Information

| | |
|-----------------------|---------|
| Package Level 2 Units | 1 piece |
| Package Level 2 Width | 1 in |

| | |
|--------------------------------|-------|
| | 25 mm |
| Package Level 2 Height | 1 in |
| | 25 mm |
| Package Level 2 Depth / Length | 1 in |
| | 25 mm |

Additional Information

| | |
|---------------------|---|
| Application | Liquid Tight - Extreme Temperature Environments |
| Brand / Label | Adaptaflex |
| Color | Black |
| Flexibility | Medium |
| Inside Diameter | 40.4 mm |
| Material | Galvanized Steel Core with Thermoplastic Rubber Cover |
| Nominal Size | 1-1/2 in NC50 |
| Number of Batteries | 0 |
| Outside Diameter | 47.9 mm |
| Product Name | flexible metal conduit |
| Product Type | Extreme Temperature Flexible Conduit |
| Radius | 240 mm |
| UPC | 786210245713 |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | SPLHC50/10M |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| Instructions and Manuals | SPLHC50/10M |

Classifications

| | |
|------------------------------------|-------------------------------------|
| ETIM 6 | EC001179 - Protective metallic hose |
| ETIM 7 | EC001179 - Protective metallic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5543 >> Liquid Tight Conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

